



# High Pressure accessories


## ANGLES, PIPEIS




Angles			
Description	Art.no.	€	
15 mm x 1/2" (1)	400025	8,4	
22 mm x 1/2" (1)	401025	32	
15 mm (2)	400429	9,3	
22 mm (2)	401429	16,8	
15 mm with pipes (3)	400438	9	
22 mm with pipes (3)	401438	16	




Tees			
Description	Art.no.	€	
15 mm (1)	400427	12,9	
22 mm (2)	401427	20,7	
15 mm with pipes (2)	400437	12,9	
22 mm with pipes (2)	401437	33,4	
22x15x22 mm	401425	33,4	




Straights			
Description	Art.no.	€	
15 mm x 3/8" (1)	400431	5,4	
15 mm x 1/2" (1)	400436	5,8	
22 mm x 1/2" (1)	401431	10,7	
15 mm (2)	400428	5,4	
22 mm (2)	401428	8,9	



Pipe support / fixtures			
Description	Art.no.	€	
15 mm pipe support (2 parts) (1)	400430	2,4	
22 mm pipe support (2 parts) (1)	401430	3	
Fitting for pipe stainless 55 mm (2)	401436	4,6	
Fitting for pipe stainless 100mm (3)	401439	6,5	
Fitting for pipe stainless 200 mm (3)	250114	11	
Hexagon bolt M6 x 40, stainless	401455	1,2	
M6 Lock nut, stainless	401456	0,7	
M6 Tension disc, stainless	401457	0,7	



Pipe support - 15 mm			
Description	Art.no.	€	
15 mm pipe support (1)	400430	2,4	
Fitting (2)	400434	2,4	
Hexagon bolt (3)	400435	1	



Pipe support - 22 mm			
Description	Art.no.	€	
22 mm pipe support (1)	401430	3	
Fitting (2)	401434	3,3	
Hexagon bolt (3)	401435	1	



Pipes			
Description	Art.no.	€	
Ø15 x 1,5 mm galvanized	400424	Dagspris	
Ø22 x 2,0 mm galvanized.	600860	Dagspris	
Ø15 x 1,5 mm stainless	600850	Dagspris	
Ø22 x 2,0 mm stainless	600855	Dagspris	
Prices stated pr. metre.			
All pipes available in 6 meter length.			

## STRAIGHTS - REDUCTION, TAPS



Straights - reduction			
Description	Art.no.	€	
22 mm x 15 mm reduction	400422	9	



Bicones			
Description	Art.no.	€	
15 mm galvanized	400433	1	
22 mm galvanized	401433	1,9	
15 mm stainless	400433/1	2,3	
22 mm stainless	401433/1	2,8	
15 mm union	400432	1,6	
22 mm union	401432	2,7	



Dust binding			
Description	Art.no.	€	
Dust binding head	250501	269	
Dust binding head incl. fitting solenoid valve and timer	250502	1.080	



Solenoid valve - high pressure			
Description	Art.no.	€	
3/8" incl. spool 220V. 200 bar	250511	439	



Timer			
Description	Art.no.	€	
Automatic power control	250510	268	



Shut-off ball valve			
Description	Art.no.	€	
3/8" x 3/8"	400440	30,4	
1/2" x 1/2"	401440	34,9	



Frost proof taps			
Description	Art.no.	€	
3/8"	402440	107	



Coupling hoses			
Description	Art.no.	€	
3/8" x 1/2 mtr. 3/8" - 3/8" nip	250052	17,4	
1/2" x 1/2 mtr. 15mm oml. - 15mm oml.	250052/2	17,4	
3/8" x 1/2 mtr. 15mm oml. 3/8 nipple	250052/3	17,4	
1/2" x 1/2 mtr. 15mm oml. 1/2 nipple	250052/4	22,8	
3/4" x 1 mtr. 22mm oml. - 22mm oml.	250052/5	52,3	
3/8" x 1 m. 3/8" nip / 3/8" nip	250070	21	
3/8" x 2 m. 15mm oml. 3/8" nip	250062	33,1	
3/8" x 4 m. 3/8 nip / 3/8 nipple	250059	63,5	




Pressure Expansion - 5,0 Ltr.			
Description	Art.no.	€	
Pressure expansion 5 l., 4-10 bar			
3/4", incl. Fiting and fittings	202015	134	



Quick couplings and nipples			
Description	Art.no.	€	
Quick coupling 1/4" male	203	11,4	
Quick coupling 1/4" female	215	11,4	
Nippel 1/4" female	204	5,3	
Nippel 1/4" male	216	5,3	

# High pressure accessories


## QUICK COUPLINGS, NIPPLES



Quick couplings / nipples			
Description	Art.no.	€	
Quick coupling, 1/4" female (1)	205	19,5	
Quick coupling, 3/8" female (1)	250010	19,5	
Nippel 3/8" female (2)	250009	4,6	
Nippel 3/8" male (3)	206	4,6	
Nippel 1/4" female (2)	208	4,6	
Nippel 1/4" male (3)	209	4,6	
O-ring for Quick coupling (4)	217	1,4	
Teflonring for Quick coupling (5)	218	1,8	



Quick couplings / nipples (KEW komp.)			
Description	Art.no.	€	
Quick coupling, 3/8" KEW komp.	210	21,6	
Quick coupling, 3/8" KEW komp. stainless	210/1	37,2	
Quick coupling, male 22 x 1,5 mm	221	28	
O-ring, set	212/1	4,8	



Nipples			
Description	Art.no.	€	
Nippel 3/8" for 210 (1)	211	6,8	
Nippel for 210/1, stainless (2)	211/1	21,8	
Nippel, female.22 x 1,5 mm (3)	222	13,7	



Water couplings / nipples			
Description	Art.no.	€	
Water coupling 3/4"	235	15,6	
Nippel 3/4" for Water coupling	236	6,1	



Quick couplings / nipples (Kärcher komp.)			
Description	Art.no.	€	
Coupling, union, nipple	230	6,6	
Nipple for coupling	231	3,5	
O-ring for nipple, 10 x 2 mm	232	1,4	
Nippel 1/4" x 40 mm	400365	2,9	
Nippel 1/4"	300185	2,9	



Rotating nozzles (Kärcher komp.)			
Description	Art.no.	DKK	€
Rotor Nozzle 04	69	161	
Kärcher rotor Nozzle rep./set 04	69/1	79	
Rotor Nozzle 05	73	161	
Kärcher rotor Nozzle rep./set 05	73/1	79	
Rotor Nozzle 055/060	78	161	
Kärcher rotor Nozzle rep./set 055/060	78/1	79	
Rotor Nozzle 070/080	79	161	
Kärcher rotor Nozzle rep./set 070/080	79/1	79	
Rotor Nozzle 10	94	161	
Kärcher rotor Nozzle rep./set 10	94/1	79	
Rotor Nozzle 15	98	229	



Rotating nozzles - Rotomax			
Description	Art.no.	€	
Rotomax 04-red	70	93	
Rotomax 045-blue	72	93	
Rotomax 05-white	173	93	
Rotomax 055-black	71	93	
Rotomax 06-freen	171	93	
Rotomax 065 - purple	172	93	



Turbonozzle			
Description	Art.no.	€	
500 bar stainless RA RotorNozzle	169	743	




Retro nozzles - Rotomax			
Description	Art.no.	€	
KloakNozzle stainless steel3/8" (1)	61	27	
KloakNozzle, rot.1/4" female	161	68	
KloakNozzle, rot.3/8" male	259	41	



## ROTOMAX, NOZZLES



Turbo nozzles with lances			
Description	Art.no.	€	
Rotomax 04 incl. lance	70R	109	
Rotomax 045 incl. lance	72R	109	
Rotomax 05 incl. lance	173R	109	
Rotomax 055 incl. lance	71R	109	
Rotomax 06 incl. lance	171R	109	
Rotomax 065 incl. lance	172R	109	



Spare parts - Turbo nozzle			
Description	Art.no.	€	
Keramic seat (1)	300207	11	
Keramic rotorhead (2)	300209	11	
Rotor control (3)	300213	2,9	
Rotor	300214	15,6	
Kit-set pos. 1-4	114	35,5	



Rotating brushes			
Description	Art.no.	€	
Brush with lance pro.	62	119	
Brush for Compact-series	56	72,4	

Please note: The brushes are not suitable for use on rough surfaces.



Tile & wall washer			
Description	Art.no.	€	
Max pressure 160 bar 8 l/min.	162	86,5	



Nozzles			
Description	Art.no.	€	
Nozzle 1503	120040/1	13,4	
Nozzle 1504	120051	13,4	
Nozzle 15045	250073	13,4	
Nozzle 1505	120035	13,4	
Nozzle 15055	250036	13,4	
Nozzle 1506	120038	13,4	
Nozzle 15065	120037	13,4	
Nozzle 1507	120039	13,4	
Nozzle 15085	120066	13,4	
Nozzle 1508	120062	13,4	
Nozzle 15085	120066	13,4	
Nozzle 1509	120041	13,4	
Nozzle 1510	120063	13,4	
Nozzle 1511	120064	13,4	
Nozzle 1512	120054	13,4	
Nozzle 1513	120050	13,4	
Nozzle 1515	163105	13,4	
Nozzle 1516	163106	13,4	
Nozzle 6530, brass	250035	6,6	
Nozzle 1503, brass	120040	6,6	
Nozzle protection	250074	6,6	



Water sand blasting			
Description	Art.no.	€	
For Compact-series	160157	65	



Water sand blasting			
Description	Art.no.	€	
Nozzle 06	60	119	
Nozzle 05	90	119	



Retro nozzles			
Description	Art.no.	€	
Retro nozzle for Compact-series incl. 10 m. hose and coupling.	160156	67,6	

# High pressure accessories

## PISTOLS, SWIVELS, LANCES

### Spray pistols

Description	Art.no.	€
Spray pistol, pressure relieved with coupling (1)	251211	93
Manchet for pistol grib	251211/23	10,8
Tools for manchet	251211/99	47,3
Spray pistol, standard (2)	251012	68
Sp.pistol, press. relieved, incl. swivel (3)	251212	82,4

### Swivels

Description	Art.no.	€
Svivler, 3/8", professionel	82	14
Svivler, 3/8", prof. stainless	182	23,4

### Double boundaries w/throttle

Description	Art.no.	€
Double boundary incl. throttle, 500 bar	263928	250
Pistol, 500 bar	251200	412

### Cleaning set - KEW comp.

Description	Art.no.	€
Lance w/double boundary and low nozzle(1) and nipple (3)	163023R	86,5
Lance with side handle (4) w/double boundary low prssure Nozzle (1) and Nipple (3)	263023R	93
Pistol, press. relieved w/coupl. (2)	251211	92,6
Nipple (3)	214	25

### Nipples

Description	Art.no.	€
1/4" nipple KEW handel (1)	214	25
1/4" Nippel male KEW pistol grib	251215	25

### Cleaning set - Gerni comp.

Description	Art.no.	€
Pistol, pressure relieved w/coupl. incl. lance, swivl (1)	251214	129
Nippel 1/4", male (2)	251215	25
Double boundary w/side handle. Low pressure nozzle (3)	251216	57,5

### Tankcleaner

Description	Art.no.	€
Tank cleaner (1)	163017	1.122
Stainless tank incl. packning (2)	163016	101,5

## LANCES, BOUNDARIES

### Pistol / Lances

Description	Art.no.	€
60 cm double boundary, stainl.(1)	263927	47,3
Lance with coupling (2)	163023	25,7
Pistol, standard (3)	251012	71

### Boundaries

Description	Art.no.	€
60 cm, single (1)	163924	7
60 cm, dbl.stainl. without npple (2)	163927	44,6
60 cm, double stainless (3)	263927	47,3
125 cm, double.	76	56,2
175 cm, double.	77	60

### Valves

Description	Art.no.	€
1/4" double needle valve (1)	163923	17,8
With handle for double jet (2)	251217	39,2

### Short Cleansing set

Description	Art.no.	€
1/4" male,nippel KEW pistol grib	251215	25
1/4" needle valve double (2)	163923	17,8
Nozzle 6530 brass (3)	250035	6,6

### Telescope lances

Description	Art.no.	€
Telescope lance 7,2 m	163019	359

### Variable lances

Description	Art.no.	€
Variabel lance 850 mm	163021	130
Variabel lance 1060 mm	163021/1	226
Variabel lance 1500 mm	163021/2	258

### Lances

Description	Art.no.	€
Lance stainless, w/side handle (1)	163022/1	26,4
Lance with couplings (2)	163023	26,4
Lance for Compact-series (3)	160151	16,2

### Dobbelt boundaries

Description	Art.no.	€
Double boundary for TurboNozzle	263929	43,3


# High pressure accessories

## FOAM EQUIPMENT, REEL




### Line water filters

Description	Art.no.	€
Filter 3/4" with cartridge	250328	54,7
Filter cartridge 3/4"	250329	20
Filter 1"	250330	268
Filter cartridge 1"	250331	112



### Foam equipment

Description	Art.no.	€
Foaminjector KEW, incl. by-pass (1)	163337	338
Lance for foam equipment KEW (2)	163338	155
Injector KEW w/quick coupl. (3)	163339	155
Foaminjector (3)	163340	155



### Injector prof.

Description	Art.no.	€
Injector 3/8" X M22 (1)	163336	45,3
Injector 3/8" 16-21 l/min (2)	163336/2	45,3
Injector 3/8" 25-41 l/min (3)	163336/3	45,3

### Foamlance w/Receiver

Description	Art.no.	€
Foamlance w/2 ltr. Receiver	264	121
Nippel 3/8" female	250009	4,2
Nippel 1/4" male	251215	24,5
Muff 3/8"-1/4" female	RA0131438	1,7

### HP-hoses

Description	Art.no.	€
1/4", 7 m forl Compact-series	58	43,2
3/8", 8 m 276 bar	250060	54
3/8", 150° C, 8 m	300019	75,7
3/8", 10 m 276 bar	250049	67,6
3/8", 12 m 276 bar	250056	81
3/8", 15 m 276 bar	250054	101,5
3/8", 20 m 276 bar	250057	135
3/8", 25 m 276 bar	250058	169
3/8", 30 m, 270 bar	250257	220
3/8", 40 m, 270 bar	250258	297
3/8", 50 m, 270 bar	250261	338

### HP-hoses - Inkfree

Description	Art.no.	€
3/8", 10 m 276 bar	250049/1	81
3/8", 15 m 276 bar	250054/1	121,6
3/8", 20 m 276 bar	250057/1	162
3/8", 25 m 276 bar	250058/1	203

### Hose with sliding rollers

Description	Art.no.	€
Hose with sliding rollers, pr. metre	250270	14,7

### Automatic Reels for HP Hoses - 400 bar

Description	Art.no.	€
15 m without hose	4485	373,6
20 m without hose	4487	509
15 m 3/8" w/hose 2 layers	4489	545
20 m 3/8" w/hose 2 layerss	4493	623

### Automatic Reels for HP Hoses - 400 bar

Description	Art.no.	€
20 m stainless without hose	4477	805

### Automatic Reels for HP Hoses - 400 bar

Description	Art.no.	€
40 m without hose	4478	767
40 m without hose, stainless	4482	1.277

## REEL, TILE & STONE CLEANER



### Manual hose reel

Description	Art.no.	€
Manual hose reel, stainless 50 m without hose	4474	556
Manual hose reel, stainless 100 m without hose	4483	695



### Hose fittings

Description	Art.no.	€
Fittings for hose, big	4464	34,5



### Revolving arms

Description	Art.no.	€
Revolving arm for 20 m hose reel	4497	29
Revolving arm for 15 m hose reel	4495	24,6



### Special oli

Description	Art.no.	€
Special olie for high pressure, 1 ltr.	400053	9,5

### Floor cleaner - stainless steel

Description	Art.no.	€
Floor claener- stainless steel 40 cm. Variable pressure regulation. Incl. 4 Nozzles	200097500	635



### Wall & Floor Cleaner - stainlesssteel

Description	Art.no.	€
Floor claener- stainless steel Variable pressure regulation.. Ø 42 cm. Without Nozzles	521042601	919

