

# COMPRESSED AIR TREATMENT

## REFRIGERATED DRYERS / DESICCANT DRYERS

### Refrigerated dryers

A refrigerated air dryer removes water from the compressed air down to a predetermined pressure dew point. This is achieved when the hot and humid compressed air enters the refrigerated dryer in which a heat exchanger and a cooling system brings down the air temperature to about 3°C.

During the refrigeration the dew point will drop and cause condensation. The condensed water is collected and discharged, while the outgoing cold dry compressed air returns to the air-to-air heat exchanger, where it is reheated by the incoming air in order to prevent condensation in the plant.

The refrigerated dryer will normally be installed before the air receiver in order to obtain a "dry" air receiver. Furthermore, it is essential that the recommended max. temperature for filters and

refrigeration dryer is not exceeded at any time.

In case of very high demands for dry air, a desiccant dryer may be used. For more information - please contact our Industry Division at +45 70 10 22 10.

### Aftercoolers

The aftercooler is installed after the piston compressor. It ensures that the outlet temperature decreases, in order to ensure that the inlet temperature for the compressed air treatment is not too high.

In case of a too high inlet temperature, the life span and efficiency of the filter and refrigerated dryer will decrease.

### Refrigerated dryers

Model	DEIT 007	DEIT 012	DEIT 018
Capacity (l/min)	700	1200	1800
Max. pressure (bar)	16	16	16
Connection	1/2"	1/2"	1"
WxDxH (mm)	530x300x510	530x300x510	380x514x625
Art. no.	DEIT007	DEIT012	DEIT018
€	1.350	1.690	1.990

For industrial use. Outlet in the back.

### Refrigerated dryers

Model	DEIT 026	DEIT 032	DEIT 4000
Capacity (l/min)	2600	3200	3800
Max. pressure (bar)	16	16	16
Connection	1"	1"	1"
WxDxH (mm)	380x514x625	380x514x625	680x511x860
Art. no.	DEIT026	DEIT032	DEIT040
€	2.280	2.550	2.650

For industrial use.

### Refrigerated dryers

Model	DEIT 050	DEIT 060	DEIT 080	DEIT 100
Capacity (l/min)	5000	6000	8000	10000
Max. pressure (bar)	16	16	16	16
Connection	1 1/2"	1 1/2"	1 1/2"	2"
WxDxH (mm)	680x511x860	680x511x860	755x555x995	755x555x995
Art. no.	DEIT050	DEIT060	DEIT080	DEIT100
€	3.550	4.350	5.450	6.050

For industrial use.

Larger models available upon request.

### Desiccant dryers

Model	DAS1	DAS2	DAS3	DAS4
Capacity (l/min)	90	140	230	280
Connection	3/8"	3/8"	3/8"	3/8"
Art. no.	DAS1	DAS2	DAS3	DAS4
€	Request	Request	Request	Request

### Desiccant dryers

Model	DAS5	DAS6	DAS7
Capacity (l/min)	370	430	570
Connection	3/8"	3/8"	3/8"
Art. no.	DAS5	DAS6	DAS7
€	Request	Request	Request



# COMPRESSED AIR TREATMENT

## SEPARATORS / CYCLONES / FILTERS



### Cyclones

Description	Art. no.	€
1/2" RG, 600 ltr./min.	WS010CBFX	260
3/4" RG, 2400 ltr./min.	WS020DBFX	330

Incl. float drain

### Oil and water separators

Description	Art. no.	€
1,2 m <sup>3</sup> /min	ES2100	Enquire
3,5 m <sup>3</sup> /min	ES2150	Enquire

### Pre-filters - Dornick Hunter (AO)

Connection	Flow (ltr.min.)	Art. no.	€	Filter element – pre-filters	€
1/2" RG	600	A0010CBFX	325	Best.nr. 010A0	110
1/2" RG	1200	A0015CBFX	410	015A0	175
3/4" RG	1800	A0020DBFX	580	020A0	200
1" RG	3600	A0025EBFX	770	025A0	350

Removes particles down to 1 micron and oil aerosols down to a max. residual content of 0.6 mg./m<sup>3</sup>. Used for the protection of refrigerated dryers etc. Incl. auto drain.

### High efficiency filters - Dornick Hunter (AA)

Connection	Flow (ltr.min.)	Art. no.	€	Filter element – pre-filters	€
1/2" RG	600	AA010CBFX	325	Best. nr. 010AA	100
1/2" RG	1200	AA015CBFX	410	015AA	175
3/4" RG	1800	AA020DBFX	580	020AA	200
1" RG	3600	AA 025EBFX	770	025AA	350

Removes particles down to 0.01 micron and oil aerosols down to a max. residual content of 0.01 mg./m<sup>3</sup>. Incl. auto drain.

### Pre-filters (P)

Connection	Flow (ltr.min.)	Art. no.	€	Filter element – high eff. filters	€
1/2" RG	2200	HFN-018P	350	Art. no. P-022	100
3/4" RG	3000	HFN-030P	475	P-030	130

### High efficiency filters (S)

Connection	Flow (ltr.min.)	Art. no.	€	Filter element – high eff. filters	€
1/2" RG	2200	HFN-018S	350	Art. no. S-022	100
3/4" RG	3000	HFN-030S	475	S-030	130

### Silica Filter

Connection	Capacity (l/min.)	Art. no.	€	Silica gel/absorbent	€
3/4" (1/4")	425	FF39690	400	Art. no. FF39691 2.2 kg	125

The filter absorbs condensation in the air. Used for tasks with smaller air consumption.

# COMPRESSED AIR TREATMENT


BOOSTER / RESPIRATORY PROTECTION/ AIR-SAVER / ACCESSORIES



## Combination filters / Respiratory protection – Dornick Hunter

Connection	Flow (ltr.min.)	Art.no.	€
1/4" RG	400	AC010ABFIGV	530
3/8" RG	800	AC015BBFIGV	600

Incl. float drain, wall fitting, reducing valve and manifold. Excl. quick coupling. Please contact our Industrial Division for further advice regarding breathing air quality including specific legislative requirements(D.5.1).



## Pressure increaser (Booster)

Connection	Capacity (l/min)	Inlet	Outlet pressure	WxDxH (mm)	Art.no.	€
	230	1-10	2-20 (Pressure ratio max. 1:2)	180x130x110	FF64710	750

Increases the pressure on the main network. Used where a higher operating pressure is sporadically needed.



## Air-Saver

Model	1"	2"
Capacity (l/min)	30 sec. open/close	115 sec. open/close
Max. pressure	16	16
Art. no.	3140	3142
€	475	750

Up to 7 day programmable open and close function. 230V.




## Oil absorber

Description	Art.no.	€
Oil absorber	4445	65



## Accessory kit

Description	Art.no.	€
Accessory kit	4400	35



## Blow guns

Description	Art.no.	€
Blow gun, "Airboy"	4431	13
Blow gun 50 cm	4434	19
Blow gun 100 cm	4433	23
Inflation for tyres (bicycle valve)	4435	24
Inflation for tyres	4436	24



## Air inflators

Description	Art.no.	€
Prof. w/pressure gauge	4422	44
Prof. w/pressure gauge - 5m.	4422-5	78
w/pressure gauge/rod (1)	4419	46
w/pressure gauge	4420	21



## Air inflator

Description	Art.no.	€
Prof. air inflator PCL.	4418	180



## Cleaning guns

Description	Art.no.	€
Cleaning gun	4440	17
Cleaning gun, JWJ	4441	20



## Pump rods and nipples

Description	Art.no.	€
Pump rod, bike/car	4423	37
Pump rod, twin wheels	4424	37
Nipple, bike	4425	10
Nipple, car	4426	10
Nipple for 4420	4427	33

For nipples in blister packages: B + art.no.



## Underbody coating gun

Description	Art.no.	€
Underbody coating gun	4470	49

To underseal



## Vertical air receivers

Description	Art.no.	€
90 l. 11 bar - oceanblue	400698/1	390
90 l. 11 bar - galvanized	400726	490
270 l. 11 bar - galvanized	400692	1.000
500 l. 11 bar - oceanblue	400682/1	1.350
500 l. 11 bar - galvanized	400693	1.650
900 l. 11 bar - galvanized	400694	2.000
500 l. 15 bar - galvanized	400695	2.250
Fittings set 90 l. 11 bar	400698/2	85
Fittings set 270 l. 11 bar	400692/1	85
Fittings set 500 l. 11 bar	400693/1	85
Fittings set 900 l. 11 bar	400694/1	85
Fittings set 500 l. 15 bar	400695/1	85



## Horizontal air receivers

Description	Art.no.	€
50 l. 11 bar - white	400656/1	277
90 l. 11 bar - white	400697/2	392
90 l. 11 bar-oceanblue st.	400697/1	393
270 l. 11 bar - oceanblue	400658/1	769
270 l. 11 bar - white	400658/2	769
500 l. 11 bar - oceanblue	400654/1	1.260
150 l. 15 bar - white	400683/1	515
270 l. 15 bar - oceanblue	400687/1	1.076
500 l. 15 bar - oceanblue	400663/1	1.590
Fittings set.		85



## Battery incl. 90 liter air receiver

Description	Art.no.	€
2 x 90 l. 11 bar oceanblue	400705	820

Incl. safety valves, pressure gauge, taps and plugs. Installation in accordance with legislation.



## Battery incl. 90 liter receiver

Description	Art.no.	€
4 x 90 l. 11 bar oceanblue	400704	1.600

Incl. safety valves, pressure gauge, Taps and plugs. Establishment Approved by AT taps and plugs. Installation in accordance

with legislation.



## Condensation tap for receiver

Description	Art.no.	€
Auto. water tap. Leads the water out automatically.	HDF120A	130

For vertical air receiver.



## Condensation tap for receiver

Description	Art.no.	€
Auto. water tap (220 V) incl. timer, filters and nipples.	400470	220

For horizontal air receiver.

# ACCESSORIES

CONDENSATION TAPS / AIR RECEIVERS / VALVES



## Safety valves – CE approval

Description	Art.no.	€
1/4" 6 bar CE	FF34080	15
1/4" 8,5 bar	190053	15
1/4" 11 bar CE	400018/1	15
3/8" 8 bar CE	FF34122	49
3/8" 9,5 bar CE	FF34089	49
3/8" 10 bar CE	400597	49
3/8" 10,5 bar CE	FF34091	49
3/8" 11 bar CE	410110	30
3/8" 12 bar CE	FF34090	49
3/8" 15 bar CE	400595	49
3/8" 16 bar CE	410155	49
1/2" 10 bar CE	FF34113	50
1/2" 10,5 bar CE	FF34109	50
1/2" 11 bar CE	410115	30
1/2" 15,5 bar CE	FF34116	50



## Pilot valves

Description	Art.no.	€
For relieving of valve	403691	58



## Relief valves

Description	Art.no.	€
1/8" for single phase (1)	400049	19
3/8" for single phase (2)	400048	5



## Non return valves

Description	Art.no.	€
3/8"	245105	11
1/2" m/15 mm bicone	400626	18
3/4"	400054	30
1"	400259	56



## Non return valve - kit

Description	Art.no.	€
Kit 1/2"	400026K	13
Kit 3/4"	400054K	17



## Ball valves

Description	Art.no.	€
3/8" Ball valve	400027	12
1/2" Ball valve	400335	10
3/4" Ball valve	400325	14
1/8" Balofix	400336	10
1/4" Balofix	400337	11
1/2" Balofix	401442	11



## Drains

Description	Art.no.	€
1/4"	400023	3
3/8"	400423	4
1/2"	400196	4



## Vibration absorbers

Description	Art.no.	€
Ø50 x 30 mm with 1 bolt	4715	10
Ø50 x 40 mm with 2 bolts	4716	12
Ø75 x 40 mm with 2 bolts	4717	25



## Coupling hoses and nipples

Description	Art.no.	€
Hose 1/2", 1,5 m	400006	36
Hose 3/4", 1,0 m	400107	70
Hose 1", 1,0 m	400108	75
Nipple 1/2"	84	8
Nipple 3/4"	184	13
Nipple 1"	284	17

COMPRESSED AIR AFTER TREATMENT

COMPRESSED AIR AFTER TREATMENT

# ACCESSORIES

COMPRESSOR BLOCKS / ELECTRIC MOTORS / VALVES / GASKETS / FILTERS



## Compressor blocks - industry

Description	Art.no.	€
SV203-710 l. 4 KW	400481	800
SV205-970 l. 4 +5.5 KW	400490	1.100
HW205-720 l. 4 + 5.5 KW	400495	1.200
HW310-1290 l. 7.5 + 11 KW	400497	2.200


## Compressor blocks

Description	Art.no.	€
K11 - 300 l. 1.5 KW	400033	360
K18 - 420 l. 3.0 KW	400034	480
K25 - 500 l. 4 KW	400035	620
K28 - 650 l. 5.5 KW	400370	640
K30 - 700 l. 5.5 KW	400036	870
K50 - 1200 l. 7.5 KW.	400037	1.435
K18 - 420 l. head unloaded	400172	527
K25 - 500 l. head unloaded	400032	695
K30 - 700 l. head unloaded	400038	1.000
K50 - 1200 l. head unloaded	400039	1.540
K60 - 1800 l. head unloaded	400164	2.560
K100 - 2150 head unloaded	400040	2.870



## Set of gaskets

Description	Art.no.	€
Set of gaskets for SV203/205	2030001	26
Set of gaskets for HV205	2050001	26
Set of gaskets for HW310	3100001	40
Set of gaskets for K11	4000331	219
Set of gaskets for K12	4001571	229
Set of gaskets for K18	4000341	306
Set of gaskets for K25	4000351	490
Set of gaskets for K28	4003701	633
Set of gaskets for K30	4000361	600
Set of gaskets for K50	4000371	741
Cylinder head gaskets-FF KAY	FF45948	127
Set of cylinder head gaskets for JET (KX) & Tornado (KL)	FF45946	104



## Set of valves

Description	Art.no.	€
Set of valves for SV203/SV205	2030002	232
Set of valves for HV205	2050002	232
Set of valves for HW310	3100002	335
Set of valves for K11	4000332	18
Set of valves for K18	4000342	21
Set of valves for K25 + K28	4000352	21
Set of valves for K30	4000362	35
Set of valves for K50	4000372	35
Set of valves for FF KAY	FF52161	19
Valves for JET(KX) Tornado (KL)	FF52155	15



## Electric motors - 2800 RPM

Description	Art.no.	€
2.5 HK/1,8 kW	400091	235
3.0 HK/2,2 kW	400092	250
4.0 HK/3,0 kW	400093	365
5.5 HK/4,0 kW	400094	365
7.5 HK/5,5 kW	400095	395



## Compressor oil

Description	Art.no.	€
Compressor oil, fully synthetic.	400464	18
Compressor oil, fully synthetic. ISO 150 (For 3-Phased)	401164	18
Klüber ISO 100 (For industry/ring valves)	401064	28
Screw Compressor oil ISO 46	903-1	18
Compressor oil for Silentair	400469	23
Pneumatik oil Cube 11-1 ltr.	199031571	20
Oil for food induced. 1tr.	401264-20	42
Screw Compressor Oil	9240	20



## Pressure switch

Description	Art.no.	€
Excl. motor protec., 220 V, 3 outl.	400021	36
Excl. motor protec., 3 outlets	400020	62
Incl. motor pro., 4-6 amp.	400666	78
Incl. motor pro., 6.3-10 amp.	400667	78
Incl. motor pro., 10-16 amp.	400668	78
Condor pressure monitor. MDR 3 3/8" for PS25050/0100	401666	78
Condor pressure monitor. MDR 3 3/8" for PS500100	401667	78
Relief valve w/ olive	FF32052	12



## CEE plug

Description	Art.no.	€
CEE-plug 16A	250077	7
Power supply CEE-plug 16A	250177	20
CEE-plug m/polarity inverter 6A	400507	25
CEE-plug 32A	250277	14
Power supply CEE-plug 32A	250377	45



## Pressure gauges

Description	Art.no.	€
1/8" 0-12 bar	400158	13
1/8" 0-300 bar w/ glycerin	800074	26
1/4" 0-16 bar	400022	13
1/4" 0-20 bar	606511	25
1/4" 0-250 bar w/ glycerin	163322	27
For air inflator, thread (side)	4421	12
For air inflator, thread (rear)	4421/1	12



## Filter for K25 - K100

Description	Art.no.	€
Air filter - complete K25 - K100	450640	49
Filter element K25 - K100	450238	21



## Intake filters

Description	Art.no.	€
Air filter - complete	404645	78
Filter element	450294	31



## Intake filters

Description	Art.no.	€
3/8" plastic	260049	9
1/2" plastic	260030	9
3/8" metal	260148	25
1/2" metal	260048	25
3/4" metal	260248	39
Filter element	260249	20



## FF Filter

Description	Art.no.	€
Air filter - complete	2057310	85
Filter element - FF	2057312	21



## Desert filters

Description	Art.no.	€
RENO desert filter	404610	108
Flange for desert filter	450252	29
Socket	450252/1	5
RENO filter element	404630	28



## Solenoid valves

Description	Art.no.	€
1/4" NC 1 x 230	400643	95
1/2" 2-ways. NO 1x 230	400120	110
1/8" 3-ways. NO 1 x 230	400143	95



## Air hoses

Description	Art. no.	€
1/4" rubber hose, 10 m	4513	22
3/8" rubber w/coupling 10m	4519	30



## Air hoses prof. / Danish coupling

Description	Art. no.	€
3/8", 10 m. w/coupling PUR	4517	40
3/8", 15 m. w/coupling PUR	4516	60
3/8", 20 m. w/coupling PUR	4518	80



## Air hoses (per metre)

Description	Art. no.	€
1/4", plastic	4520	2
3/8", plastic	4525	2,5
1/2", plastic	4530	3
5/8", plastic	4540	3,5



## Air hoses (per metre)

Description	Art. no.	€
1/4", rubber	4550	2,5
3/8", rubber	4555	3
1/2", rubber	4556	4
3/8", hose for breathing air	4558	6



## Coiled hose - PUR

Description	Art. no.	€
1/4", 2 m.	4574	27
1/4", 4 m.	4575	35
1/4", 6 m.	4576	39
1/4", 8 m.	4577	44

## Hose reel stand for shop exhibitions

Description	Art. no.	€
Hose reel stand (excl. hoses)	50003	995



## Hose reel - steel, automatic

Description	Art. no.	€
Med 10 m 1/4" 18 bar PUR hose.	4492	220



## Hose reel - steel, automatic

Description	Art. no.	€
Incl. 15 m PUR hose, 1/4"	4403	200
Incl. 12 m PUR hose, 3/8"	4404	215



## Hose reel - steel, automatic

Description	Art. no.	€
Incl. 20 m PUR hose, 3/8"	4406	395



## Hose reel - automatic

Description	Art. no.	€
Incl. 25 m (10x19 mm) Rubber hose	4491	485
Incl. 25 m (10x14mm) PUR hose	4408	430



## Hose reel incl. PUR hose

Description	Art. no.	€
With 20 m. 3/8" PUR hose	5471	166
With 8 m. 3/8" PUR hose	5472	110
With 18 m. 1/2" PUR hose	5473	180
Revolving arm for 4471, 4472 and 4473	4473/1	25



## Hose reel

Description	Art. no.	€
Incl. 30 m. 1/4" PUR hose	4402	120

# ACCESSORIES

HOSES / HOSE REELS



# ACCESSORIES

## FITTINGS



Hose clips		
Description	Art.no.	€
11 mm	4591	1,5
13 mm	4592	1,5
15 mm	4593	1,5
18 mm	4594	1,5

For blister pack.: B+art.no.




Ball nipples		
Description	Art.no.	€
1/4" female	4950	13
1/4" male	4960	13



Hose stubs		
Description	Art.no.	€
1/4" x 1/4"	4900	2,5
1/4" x 3/8"	4915	2,5
1/4" x 1/2"	4920	2,5
3/8" x 1/4"	4925	2,5
1/2" x 1/2"	4930	5,5
3/8" x 3/8"	4940	4

For blister pack.: B+art.no.



Hose connectors		
Description	Art.no.	€
1/4"	4697	3
3/8"	4698	3
1/2"	4699	3

For blister pack.: B+art.no.



Quick couplings - female		
Description	Art.no.	€
1/4"	5204800	12,5
3/8"	5204805	12,5
1/2"	5204810	12,5

As safety couplings S+best.nr 25  
For blister pack.: B+art.no.



Quick couplings - male		
Description	Art.no.	€
1/4"	5204815	12,5
3/8"	5204820	12,5
1/2"	5204825	12,5

As safety coupling: S+best.nr 25  
For blister pack.: B+art.no.



Quick couplings - with hose union		
Description	Art.no.	€
1/4"	5204830	12,5
5/16"	5204831	12,5
3/8"	5204835	12,5
1/2"	5204840	12,5

As safety coupling S+best.nr 25  
For blister pack.: B+art.no.



Y-connections		
Description	Art.no.	€
1/4"	4600	4
3/8"	4605	5
1/4" 3 x female	4601	4

For blister pack.: B+art.no.



Nipple sockets		
Description	Art.no.	€
1/4" x 1/8"	250021	2
3/8" x 1/4"	250008	2
1/2" x 1/4"	250030	3
1/2" x 3/8"	400080	3
3/4" x 1/2"	000241433	4
3/4" x 3/8"	000241433	4

For blister pack.: B+art.no.



Hexagon nipples		
Description	Art.no.	€
1/8"	350014	2,5
1/4"	300185	2,5
3/8"	250004	3
3/4" x 1/2"	250031	5
3/8" x 1/4"	400081	2,5
1/2" x 3/8"	350012	4

For blister pack.: B+art.no.



Nipples - female/male		
Description	Art.no.	€
1/4" female	5204680	2,5
1/4" male	5204690	2,5
3/8" female	5204685	2,5
3/8" male	5204695	2,5
1/2" female	5204686	4
1/2" male	5204687	4

For blister pack.: B+art.no.



Nipples for hoses		
Description	Art.no.	€
1/4"	5204660	2,5
5/16"	5204662	2,5
3/8"	5204665	2,5
1/2"	5204670	3

For blister pack.: B+art.no.



Quick couplings - male		
Description	Art.no.	€
1/4" for breathing air	5804815	22
3/8" for breathing air	5804820	22
1/2" for breathing air	5804825	22

For breathing air



Quick couplings - with hose union		
Description	Art.no.	€
1/4" for breathing air	5804830	22
3/8" for breathing air	5804835	22
1/2" for breathing air	5804840	22

For breathing air



Quick couplings - female		
Description	Art.no.	€
1/4" for breathing air	5804800	22
3/8" for breathing air	5804805	22
1/2" for breathing air	5804810	22

For breathing air



Tees - male/female		
Description	Art. no.	€
1/4" Tees - female	400167	5
3/8" Tees - female (1)	RA02338	5
1/2" Tees - female (2)	RA02312	4
1/4" Tress - male	400174	4

To blister pack: B+art. no.



Pressure regulator		
Description	Art. no.	€
1/4" w/pressure gauge (excl. couplings), right turn	4370	23
1/4" w/pressure gauge (excl. couplings), left turn	4370/1	23



Filter/pressure regulator 1/4"		
Description	Art. no.	€
Filter/pressure regulator 1/4"	4381	35
Regulator 1/4" + filter/lubricator	4386	54
Lubricator 1/4"	4390	29



Knocks - filter/pressure regulator 1/2"		
Description	Art. no.	€
Filter/pressure regulator	C33BMAN	121
Filter 1/2"	F33BMAN	101
Lubricator 1/2"	L33B	86
Reduction valve 1/2"	R33	62
Kit	KP33	5
Wall fittings	ZW331	9
Pressure gauge, Ø 50	G50610R	13
Pneumatic oil, Cube 11, 1 l.	199031571	20
Filter - auto., water	F33AM10	133
Filter/reg. 1/2"-auto., water	C33AM10	160



Knocks - filter/pressure regulator 1"		
Description	Art. no.	€
Filter/pressure regulator	C55BMAN	262
Filter 1"	F55BMAN	200
Lubricator 1"	L55B	180
Reduction valve 1"	R55	145
Kit	KP55	10
Wall fittings	ZW55	18
Pressure gauge Ø 63	G63610R	13



Elbows		
Description	Art. no.	€
1/4"	250007	4
3/8" ind. x 3/8" out.	250028	4

For blister pack.: B+art. no.



Mini lubricator		
Description	Art. no.	€
1/4"	4389	11

For blister pack.: B+art. no.



Push in fittings		
Description	Art. no.	€
1/4" x Ø6 mm, straight	PC0602G	4
1/4" x Ø8 mm, straight	PC0802G	4
1/4" x Ø10 mm, straight	PC1002G	5
Ø12 mm straight coupler	PC1202G	5



Push in fittings		
Description	Art. no.	€
Ø6 mm, straight coupler	PUC06	4
Ø8 mm, straight coupler	PUC08	4
Ø10 mm, straight coupler	PUC10	6
Ø12 mm straight coupler	PUC12	6



Push in fittings		
Description	Art. no.	€
Ø6 mm, elbow	PUL06	4
Ø8 mm, elbow	PUL08	5
Ø10 mm, elbow	PUL10	6
Ø12 mm, elbow	PUL12	6



PU hoses 25 m		
Description	Art. no.	€
Hose PU, Ø6 - neutral	PUL06	50
Hose PU, Ø8 - neutral	PUL08	60
Hose PU, Ø10 - neutral	PUL10	65
Hose PU, Ø12 - neutral	PUL12	70



Sandblaster - professional		
Description	Art. no.	€
Sandblaster, 1 l bottle	4450	36
Sandblaster incl. hose (prof. 450 l) and safety mask	4457	81
Sandblaster (dust free, sand recycling)	4460	58
Nozzle kit, 4 units	4461	14
Syntetic sand, 700 g.	4462	6



Paint gun		
Description	Art. no.	€
Paint gun	4410	34
Paint gun prof.	4415	136